

SAMPLE RECEIVED
August 22, 2026

COA ISSUED
September 5, 2026

SAMPLE INFORMATION

Vendor: **LA Peptides** Sample Name: **KLOW 80mg** Sample Type: **Blue lyophilized powder**
Lot Number: **1518** MW (g/mol): **342.4, 403.2, 1419.5, 4964.2**




ANALYTICAL METHODS

Identity: Confirmed via LC-MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: KLOW	KPV, GHK-Cu, BPC-157, TB-500	LC-MS/MS	✓ Conforms
Content	10.18, 50.76, 10.47, 10.39 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.76%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/ml	<USP85>	✓ Conforms
Heavy Metals	<0.01 ppm	<USP232>	✓ Conforms
Sterility	Not Detected	<USP71>	✓ Conforms

HPLC Chromatogram · Retention Time 1.933, 2.109, 9.120, 9.317 min



Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at bioviridians.com/coa-search.html using the Web Verification Code above.



info@bioviridians.com

Shane Straight
Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.